

## ELECTRICS

19-11-28



Art-Nr.: 53008-000-0





Steel body 2 slots for 2 slices Soft-lift function to gently raise the toast High-lift facility for easy toast removal 4 separate heating units for even browning results Adjustable browning level control (7 settings) Cancel function Defrost, reheat, bagel function LED illuminated control elements Removable crumb tray Bread centering guides Integrated cord storage Safety shut-off if toast got jammed  Accessories Removable bun warmer		
2 slots for 2 slices  Soft-lift function to gently raise the toast  High-lift facility for easy toast removal  4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	Function/Features	
Soft-lift function to gently raise the toast  High-lift facility for easy toast removal  4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	Steel body	
High-lift facility for easy toast removal  4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	2 slots for 2 slices	
4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	Soft-lift function to gently raise	e the toast
Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	High-lift facility for easy toast	removal
Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	4 separate heating units for e	ven browning results
Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	Adjustable browning level co	ntrol (7 settings)
LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	Cancel function	
Removable crumb tray  Bread centering guides  Integrated cord storage  Safety shut-off if toast got jammed  Accessories	Defrost, reheat, bagel function	n
Bread centering guides Integrated cord storage Safety shut-off if toast got jammed Accessories	LED illuminated control eleme	nts
Integrated cord storage Safety shut-off if toast got jammed  Accessories	Removable crumb tray	
Safety shut-off if toast got jammed  Accessories	Bread centering guides	
Accessories	Integrated cord storage	
	Safety shut-off if toast got jam	imed
Removable bun warmer	Accessories	
	Removable bun warmer	

Technical data	
Voltage / Frequency	220-240 V~, 50-60 Hz
Power	840-1000 Watt
Cable length	100 cm
Weight	2.0 kg

Packaging dimensions	340 x 198 x 310 mm (W x D x H)
Weight incl. product (approx.)	2.9 kg
Pieces per Master carton	2
Warranty	5 years on registration



Art-Nr.: 53008-001-0





Steel body 2 slots for 2 slices Soft-lift function to gently raise the toast High-lift facility for easy toast removal 4 separate heating units for even browning results Adjustable browning level control (7 settings) Cancel function Defrost, reheat, bagel function LED illuminated control elements Removable crumb tray Bread centering guides Integrated cord storage Safety shut-off if toast got jammed		
2 slots for 2 slices  Soft-lift function to gently raise the toast  High-lift facility for easy toast removal  4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	Functio	n/Features
Soft-lift function to gently raise the toast  High-lift facility for easy toast removal  4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	Steel boo	y
High-lift facility for easy toast removal  4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	2 slots fo	r 2 slices
4 separate heating units for even browning results  Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	Soft-lift fu	unction to gently raise the toast
Adjustable browning level control (7 settings)  Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	High-lift f	acility for easy toast removal
Cancel function  Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	4 separa	ite heating units for even browning results
Defrost, reheat, bagel function  LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	Adjustab	le browning level control (7 settings)
LED illuminated control elements  Removable crumb tray  Bread centering guides  Integrated cord storage	Cancel f	unction
Removable crumb tray  Bread centering guides  Integrated cord storage	Defrost, r	eheat, bagel function
Bread centering guides Integrated cord storage	LED illum	inated control elements
Integrated cord storage	Removab	ple crumb tray
	Bread ce	entering guides
Safety shut-off if toast got jammed	Integrate	d cord storage
	Safety sh	nut-off if toast got jammed

Technical data	
Voltage / Frequency	220-240 V~, 50-60 Hz
Power	840-1000 Watt
Cable length	100 cm
Weight	2.0 kg

Packaging dimensions	340 x 198 x 250 mm (W x D x H)
Weight incl. product (approx.)	2.8 kg
Pieces per Master carton	2
Warranty	5 years on registration



Art-Nr.: 53009-000-0





Fun	ction/Features
Stee	l body
2 slo	ots for 4 slices
Soft-	lift function to gently raise the toast
High	n-lift facility for easy toast removal
4 se	parate heating units for even browning results
Adju	stable browning level control (7 settings)
Can	cel function
Defr	ost, reheat, bagel function
LED	illuminated control elements
Rem	ovable crumb tray
Brec	d centering guides
Integ	grated cord storage
Safe	sty shut-off if toast got jammed
Acc	essories
Rem	ovable bun warmer

Technical data		
Voltage / Frequency	220-240 V~, 50-60 Hz	
Power	1500-1800 Watt	
Cable length	100 cm	
Weight	2.8 kg	

Packaging dimensions	455 x 199 x 310 mm (W x D x H)
Weight incl. product (approx.)	3.6 kg
Pieces per Master carton	2
Warranty	5 years on registration



Art-Nr.: 53009-001-0





Steel bo	dy	
2 slots f	or 4 slices	
Soft-lift	unction to gently raise the toast	
High-lift	facility for easy toast removal	
4 separ	ate heating units for even browning results	
Adjustal	le browning level control (7 settings)	
Cancel	unction	
Defrost,	reheat, bagel function	
LED illur	ninated control elements	
Remova	ole crumb tray	
Bread c	entering guides	
Integrat	ed cord storage	
Safety s	nut-off if toast got jammed	

Technical data	
Voltage / Frequency	220-240 V~, 50-60 Hz
Power	1500-1800 Watt
Cable length	100 cm
Weight	2.8 kg

Packaging dimensions	455 x 200 x 250 mm (W x D x H)
Weight incl. product (approx.)	3.5 kg
Pieces per Master carton	2
Warranty	5 years on registration



Art-Nr.: 53010-000-0





Functi	on/Features
Steel b	ody
4 slots	for 4 slices
Soft-lift	function to gently raise the toast
High-lift	t facility for easy toast removal
8 sepai	rate heating units for even browning results
Adjusta	ble browning level control (7 settings)
Cancel	function
Defrost	, reheat, bagel function
LED illu	minated control elements
Removo	able crumb tray
Bread o	centering guides
Integra	ted cord storage
Safety	shut-off if toast got jammed

Technical data	
Voltage / Frequency	220-240 V~, 50-60 Hz
Power	1500-1800 Watt
Cable length	100 cm
Weight	3.8 kg

Packaging dimensions	326 x 342 x 268 mm (W x D x H)
Weight incl. product (approx.)	4.5 kg
Pieces per Master carton	1
Warranty	5 years on registration



## ENFINIGY® Electric Kettle

Art-Nr.: 53005-000-0





Fun	ction/Features
360	° base with cord storage for convenient stowing
Dua	-wall heat-insulated body
Sear	mless stainless steel inner container and concealed heating element
Lid in	nside made of stainlees steel
One	-touch soft-opening lid
Stair	nless steel limescale filter
ON,	OFF button with LED-light
Auto	matic switch-off
Dryi	ng and overheating protection

Technical data         Voltage / Frequency       220-240 V~, 50-60 Hz         Power       1550 - 1850 Watt         Capacity       max. 1.5 litre         Cable length       75 cm         Weight       1.3 kg
20wer 1550 - 1850 Watt Capacity max. 1.5 litre Cable length 75 cm
Capacity max. 1.5 litre Cable length 75 cm
Cable length 75 cm
Veight 1.3 kg

Packaging dimensions	262 x 220 x 325 mm (W x D x H)
Weight incl. product (approx.)	1.8 kg
Pieces per Master carton	2
Warranty	5 years on registration



## ENFINIGY® Electric Kettle Pro

Art-Nr.: 53006-000-0





Fund	tion/Features
360	<sup>o</sup> base with touch display and cord storage for convenient stowing
	et programmes: 60°C, 70°C, 80°C, baby food 40°C, e brewing 93°C, 100°C, keep warm feature
Dual	-wall heat-insulated body
Sean	nless stainless steel inner container and concealed heating element
Lid ir	side made of stainlees steel
One	touch soft-opening lid
Stain	less steel limescale filter
Auto	matic switch-off
Dryir	ng and overheating protection

Technical data		
/oltage / Frequency	220-240 V~, 50-60 Hz	
ower	1550 - 1850 Watt	
apacity	max. 1.5 litre	
ble length	75 cm	
/eight	1. <i>7</i> kg	

Packaging dimensions	262 x 220 x 325 mm (W x D x H)
Weight incl. product (approx.)	2.1 kg
Pieces per Master carton	2
Warranty	5 years on registration



## ENFINIGY® Personal Blender

Art-Nr.: 53003-000-0





## Function/Features ZWILLING stainless steel blade, made in Solingen, Germany ZWILLING special formula steel cross-blade with Piranha serration for best mashing results Intuitive interface with easy to adjust preset programmes: Smoothie, Pulse Powerful, low-noise AC motor with high torque to maintain blade speed and automatic switch-off safety feature 550 millilitre BPA-free Tritan jar Break-proof, easy to clean jar, handwashing recommended Cord storage Accessories To-go drinking lid

Technical data		
Voltage / Frequency	220-240 V~, 50-60 Hz	
Power	600 Watt	
Capacity	550 millilitre	
Cable length	85 cm	
Weight	2.3 kg	

Packaging dimensions	198 x 177 x 475 mm (W x D x H)
Weight incl. product (approx.)	2.9 kg
Pieces per Master carton	2
Warranty	3 years on registration



### ENFINIGY® Table Blender

Art-Nr.: 53002-000-0





## Function/Features ZWILLING stainless steel blade, made in Solingen, Germany ZWILLING special formula steel cross-blade with Piranha serration for best mashing results Preset programmes: Smoothie, cocktail, ice crushing, cleaning, pulse Powerful, low-noise AC motor with high torque to maintain blade speed and automatic switch-off safety feature 12 smoothly adjustable speed settings 1.4 litre BPA-free Tritan jar Break-proof, easy to clean jar, handwashing recommended Blade safety locking system (motor does not start without jar/lid) Cord storage Accessories Measuring cup, Tamper

Technical data	
Voltage / Frequency	220-240 V~, 50-60 Hz
ower	1200 Watt
apacity	1.4 litre
able length	100 cm
Veight	3.9 kg

Packaging dimensions	$270 \times 210 \times 502 \text{ mm} (W \times D \times H)$
Weight incl. product (approx.)	4.7 kg
Pieces per Master carton	2
Warranty	5 years on registration



## ENFINIGY® Power Blender

Art-Nr.: 53000-000-0





# Function/Features ZWILLING stainless steel blade, made in Solingen, Germany ZWILLING special formula steel winglet blade with Piranha serration for best mashing results Preset programmes: Smoothie, cocktail, ice cream, ice crushing, cleaning, pulse Powerful, low-noise AC motor with high torque to maintain blade speed and automatic switch-off safety feature 12 smoothly adjustable speed settings 1.8 litre BPA-free Tritan jar Break-proof, easy to clean jar, handwashing recommended LCD-Display Blade safety locking system (motor does not start without jar/lid) Cord storage Accessories

Measuring cup, Tamper

220-240 V~, 50-60 Hz
1600 Watt
1.8 litre
100 cm
4.7 kg

Packaging dimensions	$305 \times 237 \times 530$ mm (W x D x H)
Weight incl. product (approx.)	5.8 kg
Pieces per Master carton	1
Warranty	5 years on registration
Warranty	5 years on registration



## ENFINIGY® Power Blender Pro

Art-Nr.: 53001-000-0





## Function/Features ZWILLING stainless steel blade, made in Solingen, Germany ZWILLING special formula steel winglet blade with Piranha serration for best mashing results Powerful, low-wear DC motor with high torque to maintain blade speed automatic switch-off safety feature Integrated scale with tare function 12 smoothly adjustable speed settings Preset programmes: Smoothie, cocktail, ice cream, soups, ice crushing, cleaning, scale, pulse LCD-display 1.8 litre BPA-free Tritan jar Break-proof, easy to clean jar, handwashing recommended Blade safety locking system (motor does not start without jar/lid) Cord storage Accessories Measuring cup Tamper with temperature sensor and display Scale plate

Technical data			
Voltage / Frequency	220-240 V~, 50-60 Hz		
Power	1200 Watt (4.5 PS MOTOR Denotes the pure motor power measured under laboratory conditions. Operating performance may vary in actual use.)		
Capacity	1.8 litre		
Cable length	100 cm		
Weight	5.8 kg		

Packaging dimensions	$305 \times 237 \times 585$ mm (W x D x H)
Weight incl. product (approx.)	6.7 kg
Pieces per Master carton	1
Warranty	10 years on registration



## ENFINIGY® Digital Scale

Art-Nr.: 53011-050-0





nction/Features	
aximum weight 10 kg	
egrated rechargeable Li-ion batt	ery with charging cable
eighing function (tare)	
rge glass weighing surface with	brightly illuminated LCD display
vitchable units g/oz	
eight unit 1 g/0.1 oz	
utomatic switch-off function	
ensor touch operation	

Technical data	
Power supply	200mAh Li-lon battery rechargeable via USB
Cable length (USB)	100 cm
Maximum load	10 kg
Unit of weight	1 g / 0,1 oz   gramm (g), ounces (oz)
Weight	0.6 kg

$293 \times 240 \times 46 \text{ mm} (W \times D \times H)$
1.4 kg
4
5 years on registration